



# Your **ONE STOP** Dump Body Manufacturer

Please select the features in the order they appear to insure the accuracy of the design.  
 Fax Completed Form to 450-835-7304. Your request will be transfer to a dealer near of your country.

Company Name:		Contact Name:
Phone:	Fax:	E-mail:

Dump Body Model       SL     SM     SH     SHI     SHD     SHDI  
 (See next pages for Specs)

### Dump Body Dimension

Body Length (ft)	Side Height (inch)	Rear Height (inch)	Front Height (inch)

Long Sill	<input type="checkbox"/> 8" Height	<input type="checkbox"/> 10" Height
Body Prop	<input type="checkbox"/> No	<input type="checkbox"/> Yes
Front Style	<input type="checkbox"/> 45° corner with doghouse	<input type="checkbox"/> 45° corner No doghouse
	<input type="checkbox"/> 45° corner with closed doghouse	<input type="checkbox"/> 45° corner with opened doghouse
	<input type="checkbox"/> 90° corner with doghouse	<input type="checkbox"/> 90° corner No doghouse
	<input type="checkbox"/> 90° corner with closed doghouse	<input type="checkbox"/> 90° corner with opened doghouse
Cab Shield	<input type="checkbox"/> None	<input type="checkbox"/> 12" <input type="checkbox"/> 18" <input type="checkbox"/> 24" <input type="checkbox"/> 30" <input type="checkbox"/> 36" <input type="checkbox"/> 42"
	<input type="checkbox"/> Installed	<input type="checkbox"/> Not installed
Side Style	<input type="checkbox"/> Straight	<input type="checkbox"/> Taper <input type="checkbox"/> Quartz
Vertical Side Braces	<input type="checkbox"/> None (Smooth sides)	<input type="checkbox"/> 6 (20' to 22'-6")
	<input type="checkbox"/> 1	<input type="checkbox"/> 7 (23' to 25'-6")
	<input type="checkbox"/> 2	<input type="checkbox"/> 8 (26' to 28'-6")
	<input type="checkbox"/> 3 (9' to 13'-6")	<input type="checkbox"/> 9 (29' to 31'-6")
	<input type="checkbox"/> 4 (14' to 16'-6")	<input type="checkbox"/> 10 (32' to 34'-6")
	<input type="checkbox"/> 5 (17' to 19'-6")	<input type="checkbox"/> 11 (35' to 37'-6")
Horizontal Side Braces	<input type="checkbox"/> No	<input type="checkbox"/> Straight (Std) <input type="checkbox"/> Taper
Driver's Ladder	<input type="checkbox"/> Step	<input type="checkbox"/> Step & Inside step
	<input type="checkbox"/> One Piece	<input type="checkbox"/> One Piece & Inside Step
	<input type="checkbox"/> Fold Down	<input type="checkbox"/> Fold Down & Inside Step
Helper's Ladder	<input type="checkbox"/> Step	<input type="checkbox"/> Step & Inside step
	<input type="checkbox"/> One Piece	<input type="checkbox"/> One Piece & Inside Step
	<input type="checkbox"/> Fold Down	<input type="checkbox"/> Fold Down & Inside Step
Rear Post Style	<input type="checkbox"/> Sloped Rear	<input type="checkbox"/> Straight Rear <input type="checkbox"/> Asphalt Rear
Rear Light Hole Qty	<input type="checkbox"/> None	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3
Heated Design	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Rear Exhaust	<input type="checkbox"/> None	<input type="checkbox"/> On Rear Post <input type="checkbox"/> Under Rear Post
Coal Door Qty	<input type="checkbox"/> None	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3
Tailgate Opening	<input type="checkbox"/> Standard	<input type="checkbox"/> Automatic
	<input type="checkbox"/> Barn Door	<input type="checkbox"/> High Lift Gate (Air)
	<input type="checkbox"/> Inversed	<input type="checkbox"/> High Lift Gate (Hyd)
Tailgate lock	<input type="checkbox"/> Air	<input type="checkbox"/> Manual

**www.lanau-industries.com**

5291, chemin du lac, St-Gabriel-de-Brandon (Quebec) Canada J0K 2N0 (450) 835-1777 Fax (450) 835-7304



# Your **ONE STOP** Dump Body Manufacturer

Accessories:

Tarp System (Included Tarp)	<input type="checkbox"/> Electric	<input type="checkbox"/> Manual	<input type="checkbox"/> Air		
Heat Box Kit	<input type="checkbox"/> 4"	<input type="checkbox"/> 5"			
Hinge	<input type="checkbox"/> 6-8T	<input type="checkbox"/> 24T	<input type="checkbox"/> 35-45T	<input type="checkbox"/> 50T	
Oil Tank	<input type="checkbox"/> 6-8T	<input type="checkbox"/> 24-35T	<input type="checkbox"/> 45T	<input type="checkbox"/> 50T	
Cylinder Block	<input type="checkbox"/> 6-8T	<input type="checkbox"/> 24T	<input type="checkbox"/> 35T	<input type="checkbox"/> 45T	<input type="checkbox"/> 50T
Cradle	<input type="checkbox"/> 6-8T	<input type="checkbox"/> 24T	<input type="checkbox"/> 35T	<input type="checkbox"/> 45T	<input type="checkbox"/> 50T
Installation Kit	<input type="checkbox"/> 6-8T	<input type="checkbox"/> 24T	<input type="checkbox"/> 35T	<input type="checkbox"/> 45T	<input type="checkbox"/> 50T
Telescopic Hydraulic Cylinder	<input type="checkbox"/> Yes	<input type="checkbox"/> No			
Tailgate Air Cylinder	<input type="checkbox"/> Yes	<input type="checkbox"/> No			
Asphalt Apron	<input type="checkbox"/> 8"	<input type="checkbox"/> 10"	<input type="checkbox"/> 12"		
Water Tigh Tailgate	<input type="checkbox"/> Yes				
Safety Lock Tailgate	<input type="checkbox"/> Buyer's Model	<input type="checkbox"/> Lanau's Model			

Other Customization:



Your **ONE STOP** Dump Body Manufacturer

## S Serie *Standard Dumpbody*

---

>>> *This versatile "S" serie is built for all your needs (sand, gravel, asphalt, rock and boulders).*

### Standard Specification

- ✓ *Heated Design*
- ✓ *One piece floor (no cross member)*
- ✓ *1/4" long sill with reinforcements*
- ✓ *Inclined top rail*
- ✓ *Adjustable pivot door pin*
- ✓ *Tailgate mechanism (air, manual, automatic)*
- ✓ *Sideboard extension pocket*
- ✓ *Deflector cab shield*
- ✓ *Continuous welding throughout*
- ✓ *Sandblasted and primed*

### Option

- ✓ *Barn Door*
- ✓ *High lift gate (hydraulic, air)*
- ✓ *Tapered side body*
- ✓ *Asphalt Tail (45° bumper)*
- ✓ *Asphalt apron*
- ✓ *Coal door*
- ✓ *Tailgate safety lock*
- ✓ *Water tight tailgate*
- ✓ *Tarp system (air, manual, electric)*

**[www.lanau-industries.com](http://www.lanau-industries.com)**

5291, chemin du lac, St-Gabriel-de-Brandon (Quebec) Canada J0K 2N0 (450) 835-1777 Fax (450) 835-7304



# Your **ONE STOP** Dump Body Manufacturer

## SL model

>>> *Best for your general needs.*

### Product specification

Item	Thickness	Steel	PSI	Brinell
Floor	1/4"	AR225	105 000	215
Side / Front	1/8"	A36	65 000	N/A
Tailgate	3/16"	A36	65 000	N/A

### Standard Dimension

Length	As per client
Rear inside width	88 5/8"
Side height	24", 30", 36", 42", 48", 54" & 60"
Tailgate height	36", 48", 54", 60" & 72"
Cab shield	12", 18", 24", 30", 36" & 42"

## SM model

>>> *Used mostly by contractors and municipalities for sand and gravel use.*

### Product specification

Item	Thickness	Steel	PSI	Brinell
Floor	1/4"	AR225	105 000	215
Side / Front	3/16"	A36	65 000	N/A
Tailgate	1/4"	A36	65 000	N/A

### Standard Dimension

Length	As per client
Rear inside width	88 5/8"
Side height	24", 30", 36", 42", 48", 54" & 60"
Tailgate height	36", 48", 54", 60" & 72"
Cab shield	12", 18", 24", 30", 36" & 42"



# Your **ONE STOP** Dump Body Manufacturer

## SH model

>>> *The light weight solution when roughness is required.*

### Product specification

<i>Item</i>	<i>Thickness</i>	<i>Steel</i>	<i>PSI</i>	<i>Brinell</i>
<i>Floor</i>	3/16"	Hardox450	215 000	450
<i>Side / Front</i>	1/8"	Hardox450	215 000	450
<i>Tailgate</i>	3/16"	Hardox450	215 000	450

### Standard Dimension

<i>Length</i>	As per client
<i>Rear inside width</i>	88 5/8"
<i>Side height</i>	24", 30", 36", 42", 48", 54" & 60"
<i>Tailgate height</i>	36", 48", 54", 60" & 72"
<i>Cab shield</i>	12", 18", 24", 30", 36" & 42"

## SHI model

### Product specification

<i>Item</i>	<i>Thickness</i>	<i>Steel</i>	<i>PSI</i>
<i>Floor</i>	3/16"	Ipsco	100 000
<i>Side / Front</i>	1/8"	Ipsco	100 000
<i>Tailgate</i>	3/16"	Ipsco	100 000

### Standard Dimension

<i>Length</i>	9' to 21'
<i>Rear inside width</i>	88 5/8"
<i>Side height</i>	24", 30", 36", 42", 48", 54" & 60"
<i>Tailgate height</i>	36", 48", 54", 60" & 72"
<i>Cab shield</i>	12", 18", 24", 30", 36" & 42"

**www.lanau-industries.com**

5291, chemin du lac, St-Gabriel-de-Brandon (Quebec) Canada J0K 2N0 (450) 835-1777 Fax (450) 835-7304



# Your **ONE STOP** Dump Body Manufacturer

## SHD *model*

>>> *The ultimate toughness test*

### Product specification

<i>Item</i>	<i>Thickness</i>	<i>Steel</i>	<i>PSI</i>	<i>Brinell</i>
<i>Floor</i>	1/4"	Hardox450	215 000	450
<i>Side / Front</i>	3/16"	Hardox450	215 000	450
<i>Tailgate</i>	1/4"	Hardox450	215 000	450

### Standard Dimension

<i>Length</i>	As per client
<i>Rear inside width</i>	88 5/8"
<i>Side height</i>	24", 30", 36", 42", 48", 54" & 60"
<i>Tailgate height</i>	36", 48", 54", 60" & 72"
<i>Cab shield</i>	12", 18", 24", 30", 36" & 42"

## SHDI *model*

### Product specification

<i>Item</i>	<i>Thickness</i>	<i>Steel</i>	<i>PSI</i>
<i>Floor</i>	1/4"	AR225	100 000
<i>Side / Front</i>	3/16"	Ipsco	100 000
<i>Tailgate</i>	1/4"	AR225	100 000

### Standard Dimension

<i>Length</i>	9' to 21'
<i>Rear inside width</i>	88 5/8"
<i>Side height</i>	24", 30", 36", 42", 48", 54" & 60"
<i>Tailgate height</i>	36", 48", 54", 60" & 72"
<i>Cab shield</i>	12", 18", 24", 30", 36" & 42"